



PERMIT TO OPERATE

This initial permit shall be renewed by **ANNUALLY** unless the equipment is moved, or changes ownership. If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner

ID 103609

Or Operator:

PACESETTER INC., A ST JUDE MEDICAL CO
ATTN: C.K. STODDARD, FACILITY ENGINEER
15900 VALLEY VIEW COURT
P.O. BOX 9221
SYLMAR, CA 91392-9221

Equipment

located at: SAME AS ABOVE

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. CATALYTIC OXIDIZER/ABATOR, DONALDSON, 7' W. X 5' H. X 21' L. WITH A 80 KW PREHEATER, A HEAT EXCHANGER, A PREFILTER, AND FOUR DCI SURE-SORBER CATALYTIC FILTERS.
2. EXHAUST SYSTEM WITH A 1000 SCFM CENTRIFUGAL AIR BLOWER VENTING THREE ETHYLENE OXIDE STERILIZING SYSTEMS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. ONLY ONE STERILIZER MAY VENT ITS PRIMARY ETHYLENE OXIDE EXHAUST TO THE CATALYTIC OXIDIZER/ABATOR AT ANY ONE TIME.
4. THE TEMPERATURE OF THE EXHAUST FROM THE CATALYST BED SHALL BE MAINTAINED BETWEEN 300 DEGREES F AND 500 DEGREES F AS INDICATED BY A PROPER TEMPERATURE GAUGE.
5. RECORDS SHALL BE MAINTAINED TO PROVE COMPLIANCE WITH CONDITION NO. 4. THE RECORDS SHALL BE MADE AVAILABLE TO THE DISTRICT UPON REQUEST.

ORIGINAL



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No.
R-D87020
A/N 298970
Page 2

CONTINUATION OF PERMIT TO OPERATE

This Permit to Operate No. R-D87020 supersedes Permit to Operate
No. D87020 issued on 12/09/94.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED
ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF
THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF
CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT
CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES,
REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey

By Dorris M. Bailey/gl
7/22/97

ORIGINAL